




**TYPE I**

Slope batter shall not be flatter than 1:1.

**TYPE II****TYPE III****ARCHITECTURAL ALTERNATIVES**

▲ Cell width to match 8" block.

**TYPE IV****END OF WALL DETAILS**

Dist	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS

REGISTERED CIVIL ENGINEER

May 31, 2018

PLANS APPROVAL DATE

THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.

REGISTERED PROFESSIONAL ENGINEER

Tilgert Satter

No. C42892

EXP. 3-31-20

CIVIL

STATE OF CALIFORNIA

NOTES:

- 1'-0" wide block not allowed within 6'-0" of profile grade.
- For structural details, see other sheets.
- Type III not permitted for sound walls with "H" less than 10'-0".
- The end of the wall details may be used with any of the standard supporting foundations for masonry block. The foundations shown for the different types are for the purpose of illustration only.

8" x 8" x 16" BLOCK

H	R	S	T
10'-0"	4'-0"	—	—
10'-8"	2'-8"	2'-0"	—
11'-4"	2'-8"	2'-8"	—
12'-0"	3'-4"	2'-8"	—
12'-8"	3'-4"	3'-4"	—
13'-4"	4'-0"	3'-4"	—
14'-0"	4'-0"	4'-0"	—
14'-8"	3'-4"	2'-8"	2'-8"
15'-4"	3'-4"	3'-4"	2'-8"
16'-0"	3'-4"	3'-4"	3'-4"

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
**SOUND WALL
MASONRY BLOCK
MISCELLANEOUS DETAILS**

NO SCALE

B15-9